

(12) UK Patent Application (19) GB (11) 2 167 382 A

(43) Application published 29 May 1986

(21) Application No 8529078

(22) Date of filing 26 Nov 1985

(30) Priority data

(31) 8405953

(32) 26 Nov 1984

(33) SE

(71) Applicant

Molnlycke AB (Sweden),

S-40503 Goteborg, Sweden

(72) Inventors

Arne Froidh

Stewe Alsenvik

Urban Widlund

Carl-Daniel Norenberg

(74) Agent and/or Address for Service

Boulton Wade & Tennant,

27 Fumival Street, London EC4A 1PQ

(51) INT CL⁴

B65B 11/00 B65D 75/28

(52) Domestic classification

B8K 2K1 AA

B8C WS5

U16 1045 1122 B8C B8K

(56) Documents cited

GB A 2051579

US 4203520

US 3369657

GB 0860879

(58) Field of search

B8K

B8C

Selected US specifications from IPC sub-classes B65B

B65D

(54) A package for individual, disposable sanitary articles

(57) A package for disposable sanitary articles (3) such as sanitary napkins, incontinence products and the like, comprises for each single article, a wrapper formed of a bag-shaped package blank (1) which, with the article applied to one of its outsides, is folded around said article. The package blank (1) may be a liquid impervious plastic bag which may have at a central zone (2) a release agent such as silicone applied thereto.




FIG. 1




FIG. 2

GB 2 167 382 A




FIG. 1




FIG. 2

FIG. 3




FIG. 4





FIG. 5



SPECIFICATION

A package for individual, disposable sanitary articles and a method of manufacturing such a package

The present invention relates primarily to a package for disposable sanitary articles such as sanitary napkins, incontinence articles and the like, and secondly to a method of producing such a package.

Up to now, disposable articles such as diapers, sanitary napkins and the like have generally been loosely in large packages such as plastic bags and cartons. When travelling, packages of this type are of course impractical and too bulky in case only a small number of such articles would be required. For this reason there have lately been developed one-piece packages for this kind of sanitary articles. A one-piece package of this type is described in German Laid-open Publication 31 46 067 and consists of a plastic film or the like having one end portion folded over its center portion, the side edges of these portions, brought into alignment as a result of the folding, being welded together to form a collecting pocket into which a folded disposable article can be inserted. The opposite end portion of the packing film is adapted to serve as a sealing cover over said pocket, this portion as well being welded along its edges to the edges of said pocket. The cover thus created is furthermore provided with an adhesive bead by means of which the pocket can be resealed after the package has been opened.

This one-piece package also has for its purpose to constitute a so-called service bag, i.e. a collecting bag for the used disposable article.

Since disposable articles in the form of diapers, sanitary napkins and the like will change their shape and become wet and clumsy after the absorption of body fluids, it will be practically impossible to tuck down a used article of the kind in question into this type of prior art packaging and/or service bag.

For this reason there exists a great demand for enabling disposable articles to be packed in one-piece packages, which after use of the article contained therein could also be utilized as service bags for storage of the used article. However, moisture absorbing disposable articles are relatively bulky, and in the packaging process it is of course necessary therefore to keep the packages as compact as possible. So far however, this object has been impossible to combine with the demand of making the packages large enough to be usable as service bags for such articles.

The problems defined above have however been completely eliminated with the present invention in that a package performed in accordance therewith is primarily distinguished in that the package blank has the form of a bag

which, when the article to be packed is applied to one of its outsides, is folded around said article in an openably sealed condition as a tight all-over enclosure for producing the package, said bag possibly being folded-over along with the article, and in that after the package has been opened, the bag is adapted to be utilized as a service bag for a used article. After this compact package has been opened, there is thus obtained a bag which is large enough for accommodating a used article.

One preferred embodiment of the present invention is a package as described above where the bag has portions extending beyond its lateral seams, there being disposed in these portions welding seams or the like for sealing the bag around the article, and perforations are possible arranged between the welding seams and the edge seams of the bag.

A further preferred embodiment of the present invention consists of a multi-piece package wherein a plurality of bags are arranged in sequence in a continuous web, preferably having intermediate perforations, each single bag in the web is folded and sealed around its individual disposable article, and the unbroken web is folded or rolled up to form a multi-piece package composed of a number of one-piece parcels.

A simple method of producing the packages of this invention is another embodiment of the invention. The article to be packed, such as a sanitary napkin, diaper or incontinence article is, possibly folded, superimposed on a bag-shaped package blank, parts of which are folded and sealed around the article.

A preferred method of manufacturing the packages of this invention is one where the article is positioned centrally on one of the outsides of the bag-shaped blank, the lateral portions of the blank are folded around two of the opposing side edges of the article while extending a distance in over it, a binding agent such as hot melt is applied along at least parts of the folded-over blank portions, the package enclosing the article is folded along a transverse center line for sealing the package around the article by means of the binder.

The invention will be described in more detail below with reference to the accompanying drawings, of which Fig. 1 is a perspective view of a bag-shaped package blank having applied to one of its outsides an absorption article in the form of a disposable sanitary napkin, Fig. 2 is a plan view of the embodiment of Fig. 1 in a sealed condition, and Figs. 3-5 finally show how a second embodiment of a package made according to the invention can be accomplished.

As can be seen from the drawings, a package blank in the form of a liquid impervious plastic bag 1 has a central zone 2, located on one of its outsides, to which there is applied

a release agent such as silicone for example, whereupon a disposable sanitary article such as a sanitary napkin 3 for example, consisting of an absorption body enclosed by a casing, is attached to the outside of the bag-shaped package blank coated with release agent. On its outside facing away from the wearer, said napkin is provided with one or more binder beads, preferably hot melt beads, for the purpose of keeping the napkin properly placed in the underpants of the wearer during use. These adhesive beads, not shown here, are utilized in a package made according to the invention for securing the napkin to the region 2 of the bag-shaped package blank coated with release agent. As is especially clearly indicated in Fig. 3, the package blank or bag 1 extends with lateral portions 4, 5 along either side of the napkin attached to the blank or bag, and with end portions 6, 7 beyond the two end edges of the napkin.

In order to enclose the napkin 3, as shown in Fig. 2, the extended lateral portions 4 and 5 of the package blank or bag 1 are folded around the napkin with overlapping edges, and are fixed by welding at both ends thereof. In this connection there is suitably arranged a perforation 8 inside the end weld at the initially open end 15 of the blank or bag. When the napkin 3 is taken out, this perforation will break open whereupon the bag 1, utilized as a package blank or wrapping, is automatically opened. Prior to wrap-over folding and welding, the bag 1 may possibly be coated with a release agent applied along its bottom edge on its outside to which the napkin 3 is fixed whereby the weld, made at the bottom edge 7 for sealing the bag around the napkin, will be easily openable.

Fig. 3 illustrates a sanitary napkin 3, located on the outside of a bag-shaped package blank 1 having a somewhat narrower lateral dimension in comparison with the embodiment shown in Figs. 1 and 2. More closely defined, the napkin 3 is fixed with its back coated with binding agent to an outside of the blank or bag 1 which, within the area of attachment, is coated with release agent 2.

As shown in Fig. 4, the side portions 4, 5 of the package or bag 1 extending beyond the napkin 3 are first folded over the two longitudinal side edges of the napkin and a distance in over it, the two folded-over side portions not overlapping each other there. Adhesive beads 9, 10 are then applied to the folded-over bag portions extending along the napkin, hot melt 11 suitably being applied at the same time in the gap between the folded-over side portions 4, 5 at the center of the end portion 6.

In order to form a package of the kind disclosed in Fig. 5 and intended to be sealed around the napkin 3, the unit shown in Fig. 4 is folded along a transverse center line 12, the unit thus folded being held together by

means of the binder beads designated by numerals 9, 10 and 11 in Fig. 4.

The embodiment of a package performed in accordance with the invention as shown in Fig. 5 can be opened by tearing along the binder beads 9, 10, 11 the adhering capacity of which being adaptable to a suitable degree.

The invention is not restricted to the embodiments described above, but a plurality of modifications are conceivable within the scope of the patent claims. For example, sealing of the disposable absorbent article can be performed in a number of different ways. The essential feature of the invention is that the article subjected to wrapping be applied to the outside of a bag-shaped package blank, which is subsequently utilized as a wrapper for the article.

In the production of packages according to the invention the starting material can be a plastic hose, for example, onto the exterior of which articles to be packed are applied at uniformly spaced intervals. The hose is then folded around the articles and welded, perforated and/or cut off between each individual article in order to obtain detached one-piece parcels, or a continuous row of such parcels, which row can be folded or rolled up to form a suitable large-size package comprised of one-piece parcels.

CLAIMS

1. A package for individual disposable sanitary articles such as diapers, sanitary napkins, incontinence articles or the like, characterized in that the package blank has the form of a bag which, when the article to be packed is applied to one of its outsides, is folded around the article in an openably sealed condition as a tight all-over enclosure for producing the package, the bag possibly being folded-over along with the article, and that after opening the package, the bag is adapted to be utilized as a service bag for the storage of a used article.

2. A package according to Claim 1, characterized in that the bag has portions extending beyond its lateral seams, there being disposed in these portions welding seams or the like for sealing the bag around the article, and that perforations are possible arranged between the welding seams and the edge seams of the bag.

3. A package according to Claim 1, characterized in that a plurality of bags are arranged in sequence in a continuous web preferably having intermediate perforations, each single bag in the web being folded and sealed around its individual disposable article, and that the unbroken web is folded or rolled up to form a multi-piece package composed of a number of one-piece parcels.

4. A package for individual disposable sanitary articles substantially as hereinbefore described with reference to and as shown in the

accompanying drawings.

5 5. A method of packing individual disposable sanitary articles such as sanitary napkins, diapers, incontinence articles or the like, characterized in that the article to be packed, possibly while folded, is superimposed on a bag-shaped package blank, parts of which being folded and sealed around the article.

10 6. A method according to Claim 5, characterized in that the article is positioned centrally on one of the outsides of the bag-shaped blank, that lateral portions of the blank are folded around two of the opposing side edges of the article while extending a distance in
15 over it, that a binding agent such as hot melt for example, is applied along at least parts of the folded-over blank portions, the package enclosing the article being folded along a transverse center line for sealing the package
20 around the article by means of the binder.

7. A method of packing individual disposable sanitary articles substantially as hereinbefore described with reference to and as shown in the accompanying drawings.

Printed in the United Kingdom for
Her Majesty's Stationery Office, Dd 8818935, 1986, 4235.
Published at The Patent Office, 25 Southampton Buildings,
London, WC2A 1AY, from which copies may be obtained.